

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2507	(315/291).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/06/09 07:18
L2	1	1 and output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/09 07:09
L3	0	1 and (backlight\$3 back adj light\$5) and @ad<"20040528" and tranformer and driv\$5 with signal	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/09 07:15
L4	36	1 and (current adj control\$3) and driv\$4 and (voltage same step-up)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/09 07:20
S2	6376	lamp and (driv\$4 adj unit)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 13:17
S3	33	lamp and (driv\$4 adj unit) and (volt\$4 same (step adj up) same unit)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 13:32
S4	381	lamp same current same control same unit and (driv\$4 adj unit)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 13:44
S5	88	lamp same current same control same unit and (driv\$4 adj unit) and (volta\$3 same divid\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 13:38
S6	2	lamp same current adj control adj unit and (driv\$4 adj unit) and (volta\$3 same divid\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 13:39
S7	9	lamp same current same control same unit and (driv\$4 adj unit) and volt\$4 same (step adj up)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 15:23
S9	12849	(lcd pda cold cathode) and lamp same current same control	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/07 15:26
S10	1	(lcd pda cold cathode) and lamp same current same control and (volt\$4 adj outt\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 10:49

S15	63	chou with chin-wen	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 11:52
S16	16	CHENG with EDDIE	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 13:47
S17	76753	("315").CLAS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/06/08 14:04
S18	140386	output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 13:50
S19	142	output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:05
S21	99	output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer and compar\$7	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 13:53
S22	43	output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer and compar\$7 and (current voltage power) with (control\$4 regulat\$5) and (lamp light)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:05
S23	19	output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer and compar\$7 and (current voltage power) with (control\$4 regulat\$5) same (lamp light)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 13:54
S24	2	(backlight\$3 back adj light\$5) and @ad<"20040528" and tranformer and driv\$5 with signal	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/09 07:15
S25	32	output same (load\$4 voltage current) same(impedance resist\$4 capacit\$4 induct\$4) and @ad<"20040528" and tranformer and (compar\$4 sens\$3 detect\$4) same feedback\$4 and (lamp light)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:00

S26	2	load\$4 and @ad<"20040528" and tranformer and compar\$4 same feedback\$4 and (lamp light) and driv\$4 near4 (switch\$4 transistor) and osc\$6 and (lamp current\$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:02
S28	20	S17 and output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:15
S29	6	S17 and output same (load\$4 voltage) same (impedance resist\$4 capacit\$4 induct\$4) same (series in-line)and @ad<"20040528" and tranformer and compar\$7 and (current voltage power) with (control\$4 regulat\$5) and (lamp light)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:06
S30	2	"6804129".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:17
S31	2	"20020121865"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:27
S32	2	"20050073859"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:38
S33	2	"4958108".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/08 14:38
S34	76753	("315").CLAS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/06/08 18:40
S35	7	S34 and output same (load\$4 voltage current) same(impedance resist\$4 capacit\$4 induct\$4) and @ad<"20040528" and tranformer and (compar\$4 sens\$3 detect\$4) same feedback\$4 and (lamp light)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2005/06/09 07:07